

BEHAVIORAL MEDICINE BI-WEEKLY

ALERT NOVEMBER 20, 2009



Louise Falzon
af2215@columbia.edu 212.305.5633

ADDICTIONS

- Baker AL, Kavanagh DJ, Kay-Lambkin FJ, Hunt SA, Lewin TJ, Carr VJ, et al. **Randomized controlled trial of cognitive-behavioural therapy for coexisting depression and alcohol problems:** short-term outcome. [Addiction November 17, 2009](#). [Epub ahead of print]
- Lien L, Sagatun Å, Heyerdahl S, Sjøgaard AJ, Bjertness E. Is the Relationship between **Smoking and Mental Health** Influenced by Other **Unhealthy Lifestyle Factors**? Results from a 3-Year Follow-up Study Among **Adolescents** in Oslo, Norway. [J Adolesc Health 2009;45\(6\):609-17](#).
- Minary L, Martini H, Wirth N, Thouvenot F, Acouetey D-S, Martinet Y, et al. TABADO: "Evaluation of a **smoking cessation program** among **Adolescents** in Vocational Training Centers": **Study protocol**. [BMC Public Health 2009;9\(1\):411](#).
- Newbury-Birch D, Bland M, Cassidy P, Coulton S, Deluca P, Drummond C, et al. **Screening and brief interventions for hazardous and harmful alcohol use in probation services: a cluster randomised controlled trial protocol**. [BMC Public Health 2009;9\(1\):418](#).
- Solomon LJ, Hughes JR, Livingston A, Naud S, Callas PW, Peters EN, et al. **Cognitive barriers to calling a smoking quitline**. [Nicotine Tob Res 2009;11\(11\):1339-46](#).
- Strong DR, Kahler CW, Leventhal AM, Abrantes AM, Lloyd-Richardson E, Niaura R, et al. Impact of **bupropion** and **cognitive-behavioral treatment for depression on positive affect, negative affect, and urges to smoke during cessation treatment**. [Nicotine Tob Res 2009;11\(10\):1142-53](#).

CANCER & CANCER SURVIVORSHIP

- Bozo Ö, Anahar S, Ateş G, Etel E. Effects of **Illness Representation, Perceived Quality of Information** Provided by the **Health-Care Professional, and Perceived Social Support** on **Depressive Symptoms** of the **Caregivers of Children with Leukemia**. [J Clin Psychol Med Settings November 6, 2009](#). [Epub ahead of print]
- Braden JB, Sullivan MD, Ray GT, Saunders K, Merrill J, Silverberg MJ, et al. **Trends in long-term opioid therapy for noncancer pain** among persons with a history of **depression**. [Gen Hosp Psychiatry 2009;31\(6\):564-70](#).
- Cherny NI, Abernethy AP, Strasser F, Sapir R, Currow D, Zafar SY. Improving the **Methodologic and Ethical Validity of Best Supportive Care Studies in Oncology: Lessons From a Systematic Review**. [J Clin Oncol 2009;27\(32\):5476-86](#).
- Li CI, Daling JR, Porter PL, Tang MT, Malone KE. Relationship Between **Potentially Modifiable Lifestyle Factors** and Risk of Second Primary Contralateral **Breast Cancer** Among Women Diagnosed With Estrogen Receptor-Positive Invasive Breast Cancer. [J Clin Oncol 2009;27\(32\):5312-18](#).
- Morasso G, Di Leo S, Caruso A, Decensi A, Beccaro M, Berretta L, et al. Evaluation of a

screening programme for psychological distress in cancer survivors. [Support Care Cancer November 17, 2009](#). [Epub ahead of print]

- **Screening for Breast Cancer: U.S. Preventive Services Task Force Recommendation Statement.** [Ann Intern Med 2009;151\(10\):716–26](#). [One of a series of related articles in this issue]

CARDIOVASCULAR DISEASE

- Anstey KJ, Burns R, Butterworth P, Windsor TD, Christensen H, Sachdev P. **Cardiovascular risk factors and life events as antecedents of depressive symptoms in middle and early-old age: path through life study.** [Psychosom Med 2009;71\(9\):937–43](#).
- Axon RN, Zhao Y, Egede LE. **Association of Depressive Symptoms With All-Cause and Ischemic Heart Disease Mortality in Adults With Self-Reported Hypertension.** [Am J Hypertens November 5, 2009](#). [Epub ahead of print]
- Bosworth HBP, Olsen MKP, Grubber JMM, Neary AMRN, Orr MMM, Powers BJMD, et al. **Two Self-management Interventions to Improve Hypertension Control: A Randomized Trial.** [Ann Intern Med 2009;151\(10\):687–95](#).
- Doyle F, Conroy R, McGee H, Delaney M. **Depressive symptoms in persons with acute coronary syndrome: Specific symptom scales and prognosis.** [J Psychosom Res 2009;In Press, Corrected Proof](#).
- Hummel S, L., DeFranco A, C., Skorcz S, Montoye C, K., Koelling T, M. **Recommendation of Low-Salt Diet and Short-term Outcomes in Heart Failure with Preserved Systolic Function.** [Am J Med 2009;122\(11\):1029–36](#).
- Kupper N, Gidron Y, Winter J, Denollet J. **Association between type D personality, depression, and oxidative stress in patients with chronic heart failure.** [Psychosom Med 2009;71\(9\):973–80](#).
- Lallukka T, Chandola T, Hemingway H, Marmot M, Lahelma E, Rahkonen O. **Job strain and symptoms of angina pectoris among British and Finnish middle-aged employees.** [J Epidemiol Community Health 2009;63\(12\):980–85](#).
- Ma J, King A, Wilson S, Xiao L, Stafford R. **Evaluation of lifestyle interventions to treat elevated cardiometabolic risk in primary care (E-LITE): a randomized controlled trial.** [BMC Fam Pract 2009;10\(1\):71](#).
- Milani RV, Lavie CJ. **Impact of Worksite Wellness Intervention on Cardiac Risk Factors and One-Year Health Care Costs.** [Am J Cardiol 2009;104\(10\):1389–92](#).
- Svetkey LP, Pollak KI, Yancy WS, Jr., Dolor RJ, Batch BC, Samsa G, et al. **Hypertension Improvement Project. Randomized Trial of Quality Improvement for Physicians and Lifestyle Modification for Patients.** [Hypertension November 17, 2009](#). [Epub ahead of print]
- Williams ED, Steptoe A, Chambers JC, Kooner JS. **Psychosocial risk factors for coronary heart disease in UK South Asian men and women.** [J Epidemiol Community Health 2009;63\(12\):986–91](#).

DIABETES

- Aujla N, Abrams KR, Davies MJ, Taub N, Skinner TC, Khunti K. **The Prevalence of Depression in White-European and South-Asian People with Impaired Glucose Regulation and Screen-Detected Type 2 Diabetes Mellitus.** [PLoS ONE 2009;4\(11\):e7755](#).

- Katon W, Russo J, Lin EH, Heckbert SR, Karter AJ, Williams LH, et al. **Diabetes and poor disease control: is comorbid depression associated with poor medication adherence or lack of treatment intensification?** *Psychosom Med* 2009;71(9):965–72.
- Minet L, Møller S, Vach W, Wagner L, Henriksen JE. **Mediating the effect of self-care management intervention in type 2 diabetes: A meta-analysis of 47 randomised controlled trials.** *Patient Educ Couns* 2009;In Press, Corrected Proof.

MENTAL HEALTH-RELATED CONDITIONS

- Bosch NM, Riese H, Dietrich A, Ormel J, Verhulst FC, Oldehinkel AJ. **Preadolescents' somatic and cognitive-affective depressive symptoms are differentially related to cardiac autonomic function and cortisol: the TRAILS study.** *Psychosom Med* 2009;71(9):944–50.
- Cankaya B, Chapman BP, Talbot NL, Moynihan J, Duberstein PR. **History of sudden unexpected loss is associated with elevated interleukin-6 and decreased insulin-like growth factor-1 in women in an urban primary care setting.** *Psychosom Med* 2009;71(9):914–9.
- Grabe HJ, Schwahn C, Barnow S, Spitzer C, John U, Freyberger HJ, et al. **Alexithymia, hypertension, and subclinical atherosclerosis in the general population.** *J Psychosom Res* 2009;In Press, Corrected Proof.
- Howren MB, Suls J, Martin R. **Depressive symptomatology, rather than neuroticism, predicts inflated physical symptom reports in community-residing women.** *Psychosom Med* 2009;71(9):951–7.
- Joensuu M, Väänänen A, Koskinen A, Kivimäki M, Virtanen M, Vahtera J. **Psychosocial work environment and hospital admissions due to mental disorders: A 15-year prospective study of industrial employees.** *J Affect Disord* 2009;In Press, Corrected Proof.
- Lee M-S, Lee H-Y, Kang S-G, Yang J, Ahn H, Rhee M, et al. **Variables influencing antidepressant medication adherence for treating outpatients with depressive disorders.** *J Affect Disord* 2009;In Press, Corrected Proof.
- Low CA, Salomon K, Matthews KA. **Chronic life stress, cardiovascular reactivity, and subclinical cardiovascular disease in adolescents.** *Psychosom Med* 2009;71(9):927–31.
- McWilliams S, Egan P, Jackson D, Renwick L, Foley S, Behan C, et al. **Caregiver psychoeducation for first-episode psychosis.** *Eur Psychiatry* 2009;In Press, Corrected Proof.
- Melville JL, Fan M-Y, Rau H, Nygaard IE, Katon WJ. **Major depression and urinary incontinence in women: temporal associations in an epidemiologic sample.** *Am J Obstet Gynecol* 2009;201(5):490.e1–90.e7.
- Nidich SI, Rainforth MV, Haaga DA, Hagelin J, Salerno JW, Travis F, et al. **A Randomized Controlled Trial on Effects of the Transcendental Meditation Program on Blood Pressure, Psychological Distress, and Coping in Young Adults.** *Am J Hypertens* 2009;22(12):1326–31.
- Perron BE, Howard MO, Nienhuis JK, Bauer MS, Woodward AT, Kilbourne AM. **Prevalence and burden of general medical conditions among adults with bipolar I disorder: results from the National Epidemiologic Survey on Alcohol and Related Conditions.** *J Clin Psychiatry* 2009;70(10):1407–15.
- Rollman BL, Belnap BH, LeMenager MS, Mazumdar S, Houck PR, Counihan PJ, et al. **Telephone-Delivered Collaborative Care for Treating Post-CABG Depression: A Randomized Controlled Trial.** *JAMA* 2009;302(19):2095–103.

- Rutledge T, Linke SE, Krantz DS, Johnson BD, Bittner V, Eastwood JA, et al. **Comorbid depression and anxiety symptoms as predictors of cardiovascular events: results from the NHLBI-sponsored women's ischemia syndrome evaluation (WISE) study.** *Psychosom Med* 2009;71(9):958-64.
- Stevens J, Klima J, Chisolm D, Kelleher K, J. **A Trial of Telephone Services to Increase Adolescent Utilization of Health Care for Psychosocial Problems.** *J Adolesc Health* 2009;45(6):564-70.
- Tanielian T, Jaycox LH, Paddock SM, Chandra A, Meredith LS. Burnam MA. **Improving Treatment Seeking Among Adolescents with Depression: Understanding Readiness for Treatment.** *J Adolesc Health* 2009;45(5):490-98.
- Titov N, Andrews G, Choi I, Schwencke G, Johnston L. **Randomized controlled trial of web-based treatment of social phobia without clinician guidance.** *Aust N Z J Psychiatry* 2009;43(10):913-19.
- Titov N, Andrews G, Robinson E, Schwencke G, Johnston L, Solley K, et al. **Clinician-assisted Internet-based treatment is effective for generalized anxiety disorder: randomized controlled trial.** *Aust N Z J Psychiatry* 2009;43(10):905-12.
- Titov N, Andrews G, Schwencke G, Solley K, Johnston L, Robinson E. **An RCT comparing effect of two types of support on severity of symptoms for people completing Internet-based cognitive behaviour therapy for social phobia.** *Aust N Z J Psychiatry* 2009;43(10):920-26.
- Williams T, Salkovskis P, Forrester L, Turner S, White H, Allsopp M. **A randomised controlled trial of cognitive behavioural treatment for obsessive compulsive disorder in children and adolescents.** *Eur Child Adolesc Psychiatry* November 17, 2009. [Epub ahead of print]
- Yates WR, Meller WH, Lund BC, Thurber S, Grambsch PL. **Early-onset major depressive disorder in men is associated with childlessness.** *J Affect Disord* 2009;In Press, Corrected Proof.

MISCELLANEOUS

- Elwyn G, Frosch D, Rollnick S. **Dual equipoise shared decision making: definitions for decision and behaviour support interventions.** *Implement Sci* 2009;4(1):75.
- Hassiotis A, Robotham D, Canagasabay A, Romeo R, Langridge D, Blizard R, et al. **Randomized, single-blind, controlled trial of a specialist behavior therapy team for challenging behavior in adults with intellectual disabilities.** *Am J Psychiatry* 2009;166(11):1278-85.
- Hawkins SS, Cole TJ, Law C. **Examining the relationship between maternal employment and health behaviours in 5-year-old British children.** *J Epidemiol Community Health* 2009;63(12):999-1004.
- Hintikka J, Lehto S, Niskanen L, Huotari A, Herzig K-H, Koivumaa-Honkanen H, et al. **Unemployment and ill health: a connection through inflammation?** *BMC Public Health* 2009;9(1):410.
- Iovannone R, Greenbaum PE, Wang W, Kincaid D, Dunlap G, Strain P. **Randomized Controlled Trial of the Prevent--Teach--Reinforce (PTR) Tertiary Intervention for Students With Problem Behaviors: Preliminary Outcomes.** *J Emot Behav Disord* 2009;17(4):213-25.
- Layne JE, Arabelovic S, Wilson LB, Cloutier GJ, Pindrus MA, Mallio CJ, et al. **Community-Based**

Strength Training Improves Physical Function in Older Women With Arthritis. [Am J Lifestyle Med 2009;3\(6\):466-73.](#)

- Morris DS, Rooney MP, Wray RJ, Kreuter MW. **Measuring Exposure to Health Messages in Community-Based Intervention Studies: A Systematic Review of Current Practices.** [Health Educ Behav 2009;36\(6\):979-98.](#)
- Pantin H, Prado G, Lopez B, Huang S, Tapia MI, Schwartz SJ, et al. **A randomized controlled trial of familias unidas for Hispanic adolescents with behavior problems.** [Psychosom Med 2009;71\(9\):987-95.](#)
- Romano J, Jensen M, Schmalting K, Hops H, Buchwald D. **Illness behaviors in patients with unexplained chronic fatigue are associated with significant other responses.** [J Behav Med November 14, 2009.](#) [Epub ahead of print]
- Rosenthal MS, Ross JS, Bilodeau R, Richter RS, Palley JE, Bradley EH. **Economic Evaluation of a Comprehensive Teenage Pregnancy Prevention Program: Pilot Program.** [Am J Prev Med 2009;37\(6, Supplement 1\):S280-S87.](#)
- Torssander J, Erikson R. **Marital partner and mortality: the effects of the social positions of both spouses.** [J Epidemiol Community Health 2009;63\(12\):992-98.](#)
- Walker HM, Seeley JR, Small J, Severson HH, Graham BA, Feil EG, et al. **A Randomized Controlled Trial of the First Step to Success Early Intervention: Demonstration of Program Efficacy Outcomes in a Diverse, Urban School District.** [J Emot Behav Disord 2009;17\(4\):197-212.](#)

OBESITY, LIFESTYLE, NUTRITION

- Damschroder LJ, Lutes LD, Goodrich DE, Gillon L, Lowery JC. **A small-change approach delivered via telephone promotes weight loss in veterans: Results from the ASPIRE-VA pilot study.** [Patient Educ Couns 2009;In Press, Corrected Proof.](#)
- Harris KC, Kuramoto LK, Schulzer M, Retallack JE. **Effect of school-based physical activity interventions on body mass index in children: a meta-analysis.** [CMAJ 2009;180\(7\):719-180.](#)
- Lubans D, Morgan P, Collins C, Warren J, Callister R. **Exploring the mechanisms of weight loss in the SHED-IT intervention for overweight men: a mediation analysis.** [Int J Behav Nutr Phys Act 2009;6\(1\):76.](#)
- Martinez-Gomez D, Gomez-Martinez S, Puertollano MA, Nova E, Warnberg J, Veiga O, et al. **Design and evaluation of a treatment programme for Spanish adolescents with overweight and obesity. The EVASYON Study.** [BMC Public Health 2009;9\(1\):414.](#)
- Steele RM, Mummery WK, Dwyer T. **A Comparison of Face-to-Face or Internet-Delivered Physical Activity Intervention on Targeted Determinants.** [Health Educ Behav 2009;36\(6\):1051-64.](#)
- Strijk J, Proper K, van der Beek A, van Mechelen W. **The Vital@Work Study. The systematic development of a lifestyle intervention to improve older workers' vitality and the design of a randomised controlled trial evaluating this intervention.** [BMC Public Health 2009;9\(1\):408.](#)
- Wing YK, Li SX, Li AM, Zhang J, Kong AP. **The effect of weekend and holiday sleep compensation on childhood overweight and obesity.** [Pediatrics 2009;124\(5\):e994-e1000.](#)

PAIN

- Verhagen AP, Damen L, Berger MY, Passchier J, Koes BW. **Behavioral treatments of chronic tension-type headache in adults: are they beneficial?** [CNS Neurosci Ther 2009;15\(2\):183-205](#).

RESPIRATORY DISEASE

- Noda T, Ojima T, Hayasaka S, Hagihara A, Takayanagi R, Nobutomo K. The **health impact of remarriage behavior on chronic obstructive pulmonary disease: findings from the US longitudinal survey.** [BMC Public Health 2009;9\(1\):412](#).

SLEEP DISORDERS

- Gangwisch JE, Malaspina D, Posner K, Babiss LA, Heymsfield SB, Turner JB, et al. **Insomnia and Sleep Duration as Mediators of the Relationship Between Depression and Hypertension Incidence.** [Am J Hypertens November 5, 2009](#). [Epub ahead of print]